


Tubos Estructurales Rectangulares


| ANCHO | ALTO | ESPESOR | PESO | SECCION | Jx | Jy | Wx | Wy | ix | iy |
|-------|------|---------|------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------|
| mm | mm | mm | kg/m | mm ² | cm ⁴ | cm ⁴ | cm ³ | cm ³ | cm | cm |
| 10 | 20 | 0.8 | 0.35 | 44.1 | 0.23 | 0.08 | 0.023 | 0.016 | 0.72 | 0.43 |
| 10 | 20 | 0.9 | 0.38 | 49 | 0.25 | 0.08 | 0.025 | 0.016 | 0.71 | 0.40 |
| 10 | 20 | 1.2 | 0.5 | 63.1 | 0.32 | 0.1 | 0.032 | 0.020 | 0.71 | 0.40 |
| 10 | 20 | 1.4 | 0.56 | 72 | 0.36 | 0.11 | 0.036 | 0.022 | 0.71 | 0.39 |
| 10 | 20 | 1.6 | 0.63 | 80.3 | 0.4 | 0.12 | 0.040 | 0.024 | 0.71 | 0.39 |
| 10 | 20 | 2.0 | 0.75 | 95.4 | 0.46 | 0.14 | 0.046 | 0.028 | 0.69 | 0.38 |
| 10 | 30 | 0.8 | 0.47 | 60.1 | 0.65 | 0.11 | 0.043 | 0.022 | 1.04 | 0.43 |
| 10 | 30 | 0.9 | 0.53 | 67 | 0.72 | 0.12 | 0.048 | 0.024 | 1.04 | 0.42 |
| 10 | 30 | 1.2 | 0.68 | 87 | 0.92 | 0.15 | 0.061 | 0.030 | 1.03 | 0.42 |
| 10 | 30 | 1.4 | 0.78 | 100 | 1.04 | 0.17 | 0.069 | 0.034 | 1.02 | 0.41 |
| 10 | 30 | 1.6 | 0.88 | 112.3 | 1.16 | 0.18 | 0.077 | 0.036 | 1.02 | 0.40 |
| 10 | 30 | 2.0 | 1.06 | 135.4 | 1.37 | 0.2 | 0.091 | 0.040 | 1.01 | 0.38 |
| 10 | 40 | 0.8 | 0.6 | 76.1 | 1.37 | 0.14 | 0.069 | 0.028 | 1.34 | 0.43 |
| 10 | 40 | 0.9 | 0.67 | 85 | 1.52 | 0.16 | 0.076 | 0.032 | 1.34 | 0.43 |
| 10 | 40 | 1.2 | 0.87 | 111.1 | 1.97 | 0.2 | 0.099 | 0.040 | 1.33 | 0.42 |
| 10 | 40 | 1.4 | 1 | 128 | 2.24 | 0.22 | 0.112 | 0.044 | 1.32 | 0.41 |
| 10 | 40 | 1.6 | 1.13 | 144.3 | 2.51 | 0.24 | 0.126 | 0.048 | 1.32 | 0.41 |
| 10 | 40 | 2.0 | 1.38 | 175.4 | 3 | 0.27 | 0.150 | 0.054 | 1.31 | 0.39 |
| 15 | 20 | 0.8 | 0.41 | 52.1 | 0.2 | 0.19 | 0.020 | 0.025 | 0.62 | 0.60 |
| 15 | 20 | 0.9 | 0.46 | 58 | 0.34 | 0.21 | 0.034 | 0.028 | 0.77 | 0.60 |
| 15 | 20 | 1.2 | 0.59 | 75.1 | 0.43 | 0.27 | 0.043 | 0.036 | 0.76 | 0.60 |
| 15 | 20 | 1.4 | 0.67 | 86 | 0.48 | 0.3 | 0.048 | 0.040 | 0.75 | 0.59 |
| 15 | 20 | 1.6 | 0.76 | 96.3 | 0.53 | 0.33 | 0.053 | 0.044 | 0.74 | 0.59 |
| 15 | 20 | 2.0 | 0.91 | 115.4 | 0.62 | 0.39 | 0.062 | 0.052 | 0.73 | 0.58 |




Tubos Estructurales Rectangulares (continuación)

| ANCHO | ALTO | ESPESOR | PESO | SECCION | Jx | Jy | Wx | Wy | i _x | i _y |
|-------|------|---------|------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|
| mm | mm | mm | kg/m | mm ² | cm ⁴ | cm ⁴ | cm ³ | cm ³ | cm | cm |
| 15 | 30 | 0.8 | 0.53 | 68.1 | 0.82 | 0.27 | 0.055 | 0.036 | 1.10 | 0.63 |
| 15 | 30 | 0.9 | 0.6 | 76 | 0.91 | 0.3 | 0.061 | 0.040 | 1.09 | 0.63 |
| 15 | 30 | 1.2 | 0.78 | 99.1 | 1.17 | 0.38 | 0.078 | 0.051 | 1.09 | 0.62 |
| 15 | 30 | 1.4 | 0.89 | 114 | 1.33 | 0.43 | 0.089 | 0.057 | 1.08 | 0.61 |
| 15 | 30 | 1.6 | 1.01 | 128.3 | 1.48 | 0.48 | 0.099 | 0.064 | 1.07 | 0.61 |
| 15 | 30 | 2.0 | 1.22 | 155.4 | 1.76 | 0.56 | 0.117 | 0.075 | 1.06 | 0.60 |
| 15 | 40 | 0.9 | 0.74 | 94 | 1.87 | 0.39 | 0.094 | 0.052 | 1.41 | 0.64 |
| 15 | 40 | 1.2 | 0.97 | 123.1 | 2.42 | 0.5 | 0.121 | 0.067 | 1.40 | 0.64 |
| 15 | 40 | 1.4 | 1.11 | 142 | 2.77 | 0.56 | 0.139 | 0.075 | 1.40 | 0.63 |
| 15 | 40 | 1.6 | 1.26 | 160.3 | 3.1 | 0.62 | 0.155 | 0.083 | 1.39 | 0.62 |
| 15 | 40 | 2.0 | 1.53 | 195.4 | 3.72 | 0.73 | 0.186 | 0.097 | 1.38 | 0.61 |
| 15 | 25 | 0.8 | 0.47 | 60.1 | 0.52 | 0.23 | 0.042 | 0.031 | 0.93 | 0.62 |
| 15 | 25 | 0.9 | 0.53 | 67 | 0.58 | 0.26 | 0.046 | 0.035 | 0.93 | 0.62 |
| 15 | 25 | 1.2 | 0.68 | 87.1 | 0.74 | 0.33 | 0.059 | 0.044 | 0.92 | 0.62 |
| 15 | 25 | 1.4 | 0.78 | 100 | 0.84 | 0.37 | 0.067 | 0.049 | 0.92 | 0.61 |
| 15 | 25 | 1.6 | 0.88 | 112.3 | 0.93 | 0.4 | 0.074 | 0.053 | 0.91 | 0.60 |
| 15 | 25 | 2.0 | 1.06 | 135.4 | 1.1 | 0.47 | 0.088 | 0.063 | 0.90 | 0.59 |
| 20 | 30 | 0.8 | 0.6 | 76.1 | 0.99 | 0.53 | 0.066 | 0.053 | 1.14 | 0.83 |
| 20 | 30 | 0.9 | 0.67 | 85 | 1.1 | 0.58 | 0.073 | 0.058 | 1.14 | 0.83 |
| 20 | 30 | 1.2 | 0.87 | 111.1 | 1.42 | 0.75 | 0.095 | 0.075 | 1.13 | 0.82 |
| 20 | 30 | 1.4 | 1 | 128 | 1.62 | 0.85 | 0.108 | 0.085 | 1.13 | 0.81 |
| 20 | 30 | 1.6 | 1.13 | 144.3 | 1.81 | 0.94 | 0.121 | 0.094 | 1.12 | 0.81 |
| 20 | 30 | 2.0 | 1.38 | 175.4 | 2.16 | 1.11 | 0.144 | 0.111 | 1.11 | 0.80 |
| 20 | 40 | 0.8 | 0.72 | 92.1 | 1.98 | 0.67 | 0.099 | 0.067 | 1.47 | 0.85 |
| 20 | 40 | 0.9 | 0.81 | 103 | 2.21 | 0.75 | 0.111 | 0.075 | 1.46 | 0.85 |
| 20 | 40 | 1.2 | 1.06 | 135.1 | 2.87 | 0.96 | 0.144 | 0.096 | 1.46 | 0.84 |
| 20 | 40 | 1.4 | 1.22 | 156 | 3.29 | 1.09 | 0.165 | 0.109 | 1.45 | 0.84 |
| 20 | 40 | 1.6 | 1.38 | 176.3 | 3.69 | 1.21 | 0.185 | 0.121 | 1.45 | 0.83 |
| 20 | 40 | 2.0 | 1.69 | 215.4 | 4.45 | 1.44 | 0.223 | 0.144 | 1.44 | 0.82 |




Tubos Estructurales Rectangulares (continuación)

| ANCHO | ALTO | ESPESOR | PESO | SECCION | Jx | Jy | Wx | Wy | i _x | i _y |
|-------|------|---------|------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|
| mm | mm | mm | kg/m | mm ² | cm ⁴ | cm ⁴ | cm ³ | cm ³ | cm | cm |
| 20 | 50 | 0.9 | 0.95 | 121 | 3.85 | 0.91 | 0.154 | 0.091 | 1.78 | 0.87 |
| 20 | 50 | 1.2 | 1.25 | 159.1 | 5.02 | 1.17 | 0.201 | 0.117 | 1.78 | 0.86 |
| 20 | 50 | 1.4 | 1.44 | 184 | 5.76 | 1.33 | 0.230 | 0.133 | 1.77 | 0.85 |
| 20 | 50 | 1.6 | 1.63 | 208.3 | 6.48 | 1.48 | 0.259 | 0.148 | 1.76 | 0.84 |
| 20 | 50 | 2.0 | 2.01 | 255.4 | 7.86 | 1.76 | 0.314 | 0.176 | 1.75 | 0.83 |
| 20 | 60 | 0.9 | 1.09 | 139 | 6.1 | 1.08 | 0.203 | 0.108 | 2.09 | 0.88 |
| 20 | 60 | 1.2 | 1.44 | 183.1 | 7.97 | 1.38 | 0.266 | 0.138 | 2.09 | 0.87 |
| 20 | 60 | 1.4 | 1.66 | 212 | 9.18 | 1.57 | 0.306 | 0.157 | 2.08 | 0.86 |
| 20 | 60 | 1.6 | 1.89 | 240.3 | 10.34 | 1.76 | 0.345 | 0.176 | 2.07 | 0.86 |
| 20 | 60 | 2.0 | 2.32 | 295.4 | 12.58 | 2.09 | 0.419 | 0.209 | 2.06 | 0.84 |
| 20 | 100 | 0.9 | 1.66 | 211 | 23.04 | 1.73 | 0.461 | 0.173 | 3.30 | 0.91 |
| 20 | 100 | 1.2 | 2.19 | 279 | 30.31 | 2.23 | 0.606 | 0.223 | 3.30 | 0.89 |
| 20 | 100 | 1.4 | 2.54 | 324 | 35.04 | 2.55 | 0.701 | 0.255 | 3.29 | 0.89 |
| 20 | 100 | 1.6 | 2.89 | 368.3 | 39.68 | 2.84 | 0.794 | 0.284 | 3.28 | 0.88 |
| 20 | 100 | 2.0 | 3.58 | 455.4 | 48.7 | 3.39 | 0.974 | 0.339 | 3.27 | 0.86 |
| 30 | 40 | 0.9 | 0.95 | 121 | 2.63 | 1.71 | 0.132 | 0.114 | 1.47 | 1.19 |
| 30 | 40 | 1.2 | 1.25 | 159 | 3.5 | 2.26 | 0.175 | 0.151 | 1.48 | 1.19 |
| 30 | 40 | 1.6 | 1.63 | 208.3 | 4.6 | 2.94 | 0.230 | 0.196 | 1.49 | 1.19 |
| 30 | 40 | 2.0 | 2.01 | 255.4 | 5.62 | 3.57 | 0.281 | 0.238 | 1.48 | 1.18 |
| 30 | 50 | 0.9 | 1.09 | 139 | 4.4 | 2.05 | 0.176 | 0.137 | 1.78 | 1.21 |
| 30 | 50 | 1.2 | 1.44 | 183.1 | 5.91 | 2.72 | 0.236 | 0.181 | 1.80 | 1.22 |
| 30 | 50 | 1.4 | 1.66 | 212 | 6.88 | 3.14 | 0.275 | 0.209 | 1.80 | 1.22 |
| 30 | 50 | 1.6 | 1.89 | 240.3 | 7.83 | 3.55 | 0.313 | 0.237 | 1.81 | 1.22 |
| 30 | 50 | 2.0 | 2.32 | 295.4 | 9.63 | 4.32 | 0.385 | 0.288 | 1.81 | 1.21 |
| 30 | 60 | 0.9 | 1.23 | 157 | 7.08 | 2.48 | 0.236 | 0.165 | 2.12 | 1.26 |
| 30 | 60 | 1.2 | 1.63 | 207.1 | 9.45 | 3.26 | 0.315 | 0.217 | 2.14 | 1.25 |
| 30 | 60 | 1.4 | 1.88 | 240 | 10.99 | 3.76 | 0.366 | 0.251 | 2.14 | 1.25 |
| 30 | 60 | 1.6 | 2.14 | 272.3 | 12.48 | 4.24 | 0.416 | 0.283 | 2.14 | 1.25 |
| 30 | 60 | 2.0 | 2.63 | 335.4 | 15.36 | 5.15 | 0.512 | 0.343 | 2.14 | 1.24 |



Tubos Estructurales Rectangulares (continuación)

| ANCHO | ALTO | ESPESOR | PESO | SECCION | Jx | Jy | Wx | Wy | i _x | i _y |
|-------|------|---------|------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|
| mm | mm | mm | kg/m | mm ² | cm ⁴ | cm ⁴ | cm ³ | cm ³ | cm | cm |
| 30 | 70 | 0.9 | 1.37 | 175 | 10.26 | 2.83 | 0.293 | 0.189 | 2.42 | 1.27 |
| 30 | 70 | 1.2 | 1.81 | 231.1 | 13.76 | 3.73 | 0.393 | 0.249 | 2.44 | 1.27 |
| 30 | 70 | 1.4 | 2.1 | 268 | 16.02 | 4.31 | 0.458 | 0.287 | 2.44 | 1.27 |
| 30 | 70 | 1.6 | 2.39 | 304.3 | 18.24 | 4.86 | 0.521 | 0.324 | 2.45 | 1.26 |
| 30 | 70 | 2.0 | 2.95 | 375.4 | 22.52 | 5.91 | 0.643 | 0.394 | 2.45 | 1.25 |
| 40 | 50 | 0.9 | 1.23 | 157 | 5.64 | 4.04 | 0.226 | 0.202 | 1.90 | 1.60 |
| 40 | 50 | 1.2 | 1.63 | 207.1 | 7.5 | 5.34 | 0.300 | 0.267 | 1.90 | 1.61 |
| 40 | 50 | 1.4 | 1.88 | 240 | 8.69 | 6.18 | 0.348 | 0.309 | 1.90 | 1.60 |
| 40 | 50 | 1.6 | 2.14 | 272.3 | 9.86 | 6.99 | 0.394 | 0.350 | 1.90 | 1.60 |
| 40 | 50 | 2.0 | 2.63 | 335.4 | 12.09 | 8.54 | 0.484 | 0.427 | 1.90 | 1.60 |
| 40 | 60 | 0.9 | 1.37 | 175 | 8.6 | 4.68 | 0.287 | 0.234 | 2.22 | 1.64 |
| 40 | 60 | 1.2 | 1.81 | 231.1 | 11.47 | 6.2 | 0.382 | 0.310 | 2.23 | 1.64 |
| 40 | 60 | 1.4 | 2.1 | 268 | 13.34 | 7.17 | 0.445 | 0.359 | 2.23 | 1.64 |
| 40 | 60 | 1.6 | 2.39 | 304.3 | 15.16 | 8.12 | 0.505 | 0.406 | 2.23 | 1.63 |
| 40 | 60 | 2.0 | 2.95 | 375.4 | 18.67 | 9.94 | 0.622 | 0.497 | 2.23 | 1.63 |
| 40 | 80 | 0.9 | 1.66 | 211 | 17.41 | 6.08 | 0.435 | 0.304 | 2.87 | 1.70 |
| 40 | 80 | 1.2 | 2.19 | 279.1 | 23.23 | 8.04 | 0.581 | 0.402 | 2.88 | 1.70 |
| 40 | 80 | 1.4 | 2.54 | 324 | 27.01 | 9.29 | 0.675 | 0.465 | 2.89 | 1.69 |
| 40 | 80 | 1.6 | 2.89 | 368.3 | 30.73 | 10.52 | 0.768 | 0.526 | 2.89 | 1.69 |
| 40 | 80 | 2.0 | 3.58 | 455.4 | 37.95 | 12.86 | 0.949 | 0.643 | 2.89 | 1.68 |
| 40 | 100 | 0.9 | 1.94 | 247 | 29.88 | 7.4 | 0.598 | 0.370 | 3.48 | 1.73 |
| 40 | 100 | 1.2 | 2.57 | 327.1 | 40.02 | 9.78 | 0.800 | 0.489 | 3.50 | 1.73 |
| 40 | 100 | 1.4 | 2.98 | 380 | 46.65 | 11.32 | 0.933 | 0.566 | 3.50 | 1.73 |
| 40 | 100 | 1.6 | 3.39 | 432.3 | 53.17 | 12.81 | 1.063 | 0.641 | 3.51 | 1.72 |
| 40 | 100 | 2.0 | 4.2 | 535.4 | 65.91 | 15.69 | 1.318 | 0.785 | 3.51 | 1.71 |
| 50 | 70 | 0.9 | 1.66 | 211 | 14.57 | 8.8 | 0.416 | 0.352 | 2.63 | 2.04 |
| 50 | 70 | 1.2 | 2.19 | 279.1 | 19.45 | 11.69 | 0.556 | 0.468 | 2.64 | 2.05 |
| 50 | 70 | 1.4 | 2.54 | 324 | 22.63 | 13.56 | 0.647 | 0.542 | 2.64 | 2.05 |
| 50 | 70 | 1.6 | 2.89 | 368.3 | 25.74 | 15.38 | 0.735 | 0.615 | 2.64 | 2.04 |
| 50 | 70 | 2.0 | 3.58 | 455.4 | 31.78 | 18.91 | 0.908 | 0.756 | 2.64 | 2.04 |



Tubos Estructurales Rectangulares (continuación)

| ANCHO | ALTO | ESPESOR | PESO | SECCION | Jx | Jy | Wx | Wy | i _x | i _y |
|-------|------|---------|-------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|
| mm | mm | mm | kg/m | mm ² | cm ⁴ | cm ⁴ | cm ³ | cm ³ | cm | cm |
| 60 | 80 | 0.9 | 1.94 | 247 | 22.79 | 14.81 | 0.570 | 0.494 | 3.04 | 2.45 |
| 60 | 80 | 1.2 | 2.57 | 327.1 | 30.42 | 19.7 | 0.761 | 0.657 | 3.05 | 2.45 |
| 60 | 80 | 1.4 | 2.98 | 380 | 35.41 | 22.88 | 0.885 | 0.763 | 3.05 | 2.45 |
| 60 | 80 | 1.6 | 3.39 | 432.3 | 40.31 | 26 | 1.008 | 0.867 | 3.05 | 2.45 |
| 60 | 80 | 2.0 | 4.2 | 535.4 | 49.86 | 32.06 | 1.247 | 1.069 | 3.05 | 2.45 |
| 60 | 100 | 1.6 | 3.922 | 4.996 | 70.135 | 31.99 | 14.027 | 10.663 | 3.75 | 2.53 |
| 60 | 100 | 2.0 | 4.871 | 6.206 | 86.297 | 17.256 | 17.259 | 5.752 | 3.73 | 2.51 |
| 60 | 100 | 3.2 | 7.648 | 9.742 | 131.657 | 26.331 | 26.331 | 8.777 | 3.68 | 2.45 |
| 60 | 120 | 1.6 | 4.424 | 5.636 | 109.013 | 37.448 | 18.169 | 12.483 | 4.40 | 2.58 |
| 60 | 120 | 2.0 | 5.55 | 6.94 | 119.78 | 43.83 | 19.963 | 14.610 | 4.36 | 2.51 |
| 60 | 120 | 3.2 | 8.653 | 11.022 | 206.18 | 65.51 | 34.363 | 21.837 | 4.33 | 2.51 |
| 60 | 140 | 2.0 | 6.02 | 7.74 | 193.11 | 50.21 | 27.587 | 16.737 | 5.00 | 2.55 |
| 60 | 140 | 3.2 | 9.54 | 12.13 | 294.07 | 76.37 | 42.010 | 25.457 | 4.92 | 2.51 |
| 80 | 100 | 1.6 | 4.447 | 4.996 | 86.582 | | 17.316 | 0.000 | 4.16 | |
| 80 | 100 | 2.0 | 5.539 | 7.006 | 105.508 | 7.418.741 | 21.102 | 18.547 | 3.83 | 3.27 |
| 80 | 100 | 3.2 | 8.768 | 11.022 | 161.652 | 114.389 | 32.330 | 28.597 | 3.83 | 3.22 |
| 80 | 140 | 3.2 | 10.85 | 13.7 | 366.8 | 153.5 | 52.400 | 38.375 | 5.17 | 3.35 |
| 80 | 140 | 4.5 | 15.8 | 20.11 | 523.6 | 216.3 | 74.800 | 54.075 | 5.10 | 3.28 |
| 80 | 140 | 6.4 | 20.9 | 26.6 | 672.4 | 274 | 96.057 | 68.500 | 5.03 | 3.21 |
| 80 | 180 | 6.4 | 24.01 | 25.46 | 1190.15 | 332.18 | 132.239 | 83.045 | 6.23 | 3.29 |